

GAF-Elk Timberline® Prestique®  
Cool Color Series Roofing Shingles  
Product Information

Updated: 10/08



***Your Best And Safest Choice...  
Quality You Can Trust Since 1886!***

# Cool Color Series

(Available Nationwide)

SMART CHOICE® LIMITED WARRANTY		
Warranty Term	Smart Choice Protection	Wind Coverage
<b>40</b> YEARS	<b>5</b> YEARS	<b>110</b> <sup>†</sup> MPH
†This wind coverage requires special installation. See limited warranty for details.		

May Help To  
**Reduce  
Your Energy  
Costs!**



*Cool Antique Slate*



*Cool Barkwood*



*Cool Weathered Wood*

## The revolutionary Cool Color Series shingles!

These unique shingles from GAF-Elk slow heat build-up to make your home more energy efficient. They feature highly reflective roofing granules that bounce back the sun's rays and more effectively release absorbed heat. They are rated by the Cool Roof Rating Council (CRRC) and meet initial ENERGY STAR® performance levels.




Shingle	Solar Reflectance	Thermal Emittance	Solar Reflectance Index
Cool Weathered Wood	0.26**	0.92	28
Cool Barkwood	0.27**	0.92	29*
Cool Antique Slate	0.27**	0.92	29*

May qualify for utility rebates! Check with your local electric company.

\*Meets minimum Leads credit requirement  
\*\*ENERGY STAR® qualified

# Timberline® Prestique® Specifications

## Timberline® Prestique® Lifetime High Definition Shingles




13 1/4" x 39 3/8" Metric, 12" x 36 3/8" English

- Fiberglass asphalt shingle
- Super Heavyweight design
- Lifetime ltd. transferable warranty
- Smart Choice® protection for the first 10 years
- 130 mph ltd. wind warranty†
- Listed Class A Fire – UL 790
- Passes UL 997, modified to 110 mph
- Passes ASTM D7158, Class H
- StainGuard® Algae Discoloration ltd. warranty (available in all areas except Western Region)
- CSA A123.5-98
- ASTM D3018 Type 1
- ASTM D3161 Type 1, Class F\*
- ASTM D3462\*\*
- Dade County approved\*
- Florida Building Code approved
- Texas Department of Insurance\*
- ICC Report Approved\*
- Approximately 64 Pieces/Sq. (Metric)
- Approximately 78 Pieces/Sq. (English)
- Approximately 4 Bundles/Square
- Approximately 256 Nails/Sq. (Metric)
- Approximately 312 Nails/Sq. (English)
- 5 5/8" exposure (Metric)
- 5" exposure (English)



## Timberline® Prestique®40 High Definition Shingles (Includes Cool Color Series)




13 1/4" x 39 3/8" Metric, 12" x 36 3/8" English

- Fiberglass asphalt shingle
- Heavyweight design
- 40-year ltd. transferable warranty
- Smart Choice® protection for the first 5 years
- 110 mph ltd. wind warranty†
- Listed Class A Fire – UL 790
- Passes UL 997, modified to 110 mph
- Passes ASTM D7158, Class H
- StainGuard® Algae Discoloration ltd. warranty (available in all areas except Western Region)
- CSA A123.5-98
- ASTM D3018 Type 1
- ASTM D3161 Type 1, Class F\*
- ASTM D3462\*\*
- Dade County approved\*
- Florida Building Code approved
- Texas Department of Insurance\*
- ICC Report Approved\*
- ENERGY STAR® rated (certain colors only)
- Cool Color Series is rated by the Cool Roof Rating Council (CRRC)
- Approximately 64 Pieces/Square (Metric)
- Approximately 78 Pieces/Square (English)
- Approximately 4 Bundles/Square
- Approximately 256 Nails/Square (Metric)
- Approximately 312 Nails/Square (English)
- 5 5/8" exposure (Metric)
- 5" exposure (English)



## Timberline® Prestique®30 High Definition Shingles



13 1/4" x 39 3/8" Metric, 12" x 36 3/8" English

- Fiberglass asphalt shingle
- Standard weight design
- 30 year ltd. transferable warranty
- Smart Choice® protection for the first 5 years
- 110 mph ltd. wind warranty†
- Listed Class A Fire – UL 790
- Passes UL 997, modified to 110 mph (excluding Baltimore)
- Passes ASTM D7158, Class H
- StainGuard® Algae Discoloration ltd. warranty (available in all areas except Western Region)
- CSA A123.5-98
- ASTM D3018 Type 1
- ASTM D3161 Type 1, Class F (select plants)
- ASTM D3462\*\*
- Dade County approved\*
- Florida Building Code approved
- Texas Department of Insurance\*
- ICC Report Approved\*
- ENERGY STAR® rated (white only)
- Approximately 64 Pieces/Sq. (Metric)
- Approximately 78 Pieces/Sq. (English)
- Approximately 3 Bundles/Square
- Approximately 256 Nails/Sq. (Metric)
- Approximately 312 Nails/Sq. (English)
- 5 5/8" exposure (Metric)
- 5" exposure (English)




†Requires special installation; see limited warranty for details.

\*Applies to most plants.

\*\*Product is manufactured to meet or exceed ASTM D3462; values from subsequent testing will vary depending on storage conditions

## The many layers of a Timberline® Prestique® Shingle



**Diamond Cut™ Granules...** Multi-faceted design and light-reflective construction add dimension and depth to the shingle

**UV Blocker (Granules)...** Protects against damaging sunlight which improves the durability and extends the life of the shingle

**Color Lock™ Ceramic Firing (Granules)...** Maintains the true color of the shingle longer

**Dura Grip® Adhesive...** Locks the shingles in place on the roof, gripping tight in even strong gale force winds

**SpecSelect Grading System (Asphalt)...** Use of finest quality asphalt improves weathering in harsh conditions

**Micro Weave® Core...** Offers a superior strength foundation that resists cracking and splitting

**FiberTech® Components (Core)...** Incorporates fibers that are non-combustible, providing a UL Class A fire rating



# Smart Choice® ROOF SYSTEM SOLUTION

"Your Best And Safest Choice...Quality You Can Trust Since 1886!"

## Leak Barrier

**Weather Watch®** and **StormGuard®** provide exceptional protection against leaks caused by roof settling and extreme weather. Ideal upgrade at all vulnerable areas (including at the eaves in the North\*).

## Roof Deck Protection

**"Breathable" Deck-Armor™** allows moisture to escape from your attic while providing an exceptionally strong layer of protection against wind-driven rain. It also lays flatter for a better-looking roof. **Shingle-Mate®** also provides great protection for your roof.

## Quality Shingles

Choosing the right shingle can increase the value of your home. GAF-Elk offers you many great shingle choices, including **Timberline®**, the #1-selling architectural shingles in North America.

## Effective Attic Ventilation

**Cobra®** and **Master Flow®** vents help remove excess heat and moisture from your attic that can raise your energy bills, cause premature peeling of interior paint and wallpaper, and even affect your health.

## Distinctive Ridge Cap Shingles

Similar to the way that a distinctive frame enhances a painting, **Timbertex®** and **Ridglass®** can enhance the beauty and value of your home—while guarding against leaks at the hips and ridges.



## Reliable Low-Slope Membranes

**Liberty™** and **Freedom™** commercial-grade self-adhering roofing systems are exceptionally dependable! They're safer too, because no open torches or hot asphalt are used.

## Pre-Cut Starter Strip Shingles


**WeatherBlocker™** and **Pro-Start™** pre-cut starter strip shingles provide an upgrade that can save time, eliminate waste, and reduce the risk of blow-off by tightly locking your first course of shingles in place.

## Roof Accessory Paint

**ShingleMatch™** premium roof accessory paint is a great option to help you "hide" unsightly roof accessories by making them blend in with the color of your shingles... for a better-looking finished roof.



\*In the "North," building code requires the use of Leak Barrier at the eaves.



GAF-Elk is a U.S.-Owned Corporation



The GAF-Elk Smart Choice® Roof System Solution has earned the prestigious Good Housekeeping Seal, which means that Good Housekeeping stands behind the products in this system. (Refer to Good Housekeeping Magazine for its consumer protection policy.)

NORTHEAST Sales Office:  
717-866-8300

CENTRAL Sales Office:  
630-296-1980

SOUTHEAST Sales Office:  
813-829-8880

SOUTHWEST Sales Office:  
972-851-0500

WESTERN Sales Office:  
951-360-4200

International Sales:  
800-555-1852